







_

6





5

"Health practitioners are among the most insidious players in this fat-hating drama as they have legitimized the cultural mandate for thinness by reframing it as a health concern"

Bacon 2008, Health at Every Size. BenBella Books



Weight bias kills


• Symptoms are minimized

7

 Women avoid healthcare because of providers' judgments about them "Physicians report seeing patients who are obese as less compliant and self-disciplined ... This attitude arguably stems from ... the problematic view of patients who are obese as 'architects of their own health' ... despite stigmatisation itself having been shown to reinforce lifestyle behaviours that contribute to obesity"

Ewing 2019, Brit J Gen Prac, 69(684), 349

9 10






11 12


"This contributes to overlooking the life circumstances that truly cause morbidity: social determinants of health such as income, social connectedness and isolation, adverse childhood experiences, and cultural erasure"

Kasten 2019, Canad J Diet Proc Res, 79, 133-138




13 14





15 16






17 18





19 20





21 22





23 24












 Mothers more likely to use a pacifier Babies less likely to room-in Kair & Colaizy, 2016, Mat Child Health J, 20(3), 593-601

29 30










































45 46





47 48
























57



Metabolically healthy obese

• 50% overweight, 30% obese with no metabolic or CV complications

• No metabolic abnormalies


- Insulin resistance

- Hypertension

- Dyslipidemia

- Systemic inflammation

59 60







Study of 1205 Bottle-feeding infants in late affects infants' self infancy regulation -27% of EBF infants emptied bottle or -54% of infants fed by bottle and breast -68% of infants fed by bottle only Li et al. 2010, Pediatrics 125,

63 64





65 66







































81 82






83 84






86






87






89 90

































103 104





105 106





107 108





109 110





111 112





113 114



